

12cm CD- / DVD-Label in vinyloptik


Product Specification



P+O COMPACT DISC GMBH & CO. KG

2 pages | outer diameter: 117 mm - no bleed needed
centre hole: 22 mm - do NOT create

Please note: All data needs to be created according to the **General Print Specifications** for CD products.
We have to print „black“ twice to create the „grooves“ / vinyl-look.
As rich black for areas we recommend: C60 / M50 / Y40 / K100.



Version 1 – Offset Printing

1st colour white base (undercoating) 117 to 22 mm (screen printing)
2nd to 5th colour 4-coloured CMYK motif (euroscale/ offset)
area 117 to 62 mm: rich black (see above)
area of 62 to 22 mm: individual LP-Label - blacks texts / motifs 100% K overprinting
6th colour - black: „grooves“ | P+O has the artwork on hand (screen printing)

Version 2 – Screen Printing only

Best quality in 100% saturation. Tonal gradients - use saturation levels between 15-85%.

1st colour white base (undercoating / full or partial)
2nd and 3rd colour special colours according to Pantone-Solid-C colour guide
4th colour - black in the **area of 62 to 22 mm**
in the „LP label“ - **62 to 22 mm and in the area of 117 to 62 mm**
5th colour - black: "grooves" | P+O has the artwork on hand

Please remove the template from the print file before handing in the artwork.

The printing motif should be in the centre of the document. The document size should be the motiv.

!!! Use the template on page 2 for V1 and the template on page 3 for V2 !!!

